

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	149	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and 370/233. ccls.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 15:15
L2	49	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and 370/233. ccls. and (a or one ) near2 packet	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 15:15
L3	5	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and 370/233. ccls. and (a or one ) near2 packet near3 rate\$2	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:39
L4	421	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (a or one ) near2 packet near3 rate\$2	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 15:17
L5	75	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (a or one ) near2 packet near3 rate\$2 with (measur\$5 or determin\$5 or calculat\$5)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 15:43
L6	0	("2004022830").PN.	USPAT; USOCR	OR	OFF	2007/12/25 15:43
L7	0	("2004022830").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/25 15:43
L8	1	("20040228302").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/25 15:49
L9	1	("6671279").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/25 15:49

## EAST Search History

L10	1	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and packet flow rate filter	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:05
L11	176	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (rate\$2 near1 packet with rate near2 (flow\$2 or stream\$2))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 17:59
L12	30	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((determin\$5 or calculat\$5 or estimat\$5) with rate\$2 near1 packet with rate near2 (flow\$2 or stream\$2))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:11
L13	12	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((determin\$5 or calculat\$5 or estimat\$5 or monitor\$5) with (a or one) near1 packet with rate near2 (flow\$2 or stream\$2))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:15
L14	1	(US-5949757-\$).did.	USPAT	OR	OFF	2007/12/25 16:14
L15	1	14 and (one or a ) packet	USPAT	ADJ	OFF	2007/12/25 16:14
L16	19	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((determin\$5 or calculat\$5 or estimat\$5 or monitor\$5) with (length or duration or size) near1 packet with rate near2 (flow\$2 or stream\$2))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:15
L22	5	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (bit count) with (packet near1 (length or duration or size))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:40

## EAST Search History

L23	435	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (measur\$5) with (packet near1 (length or duration or size))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:40
L24	22	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (measur\$5) near2 (period or interval) with (packet near1 (length or duration or size))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 18:41
L25	23	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (measur\$5) near2 (period or interval) with (packet near1 (duration or period or interval))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:49
L26	86	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((measur\$5 or count\$5) with bit\$2 with packet (duration or length))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:52
L27	43	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((measur\$5 or count) with bit\$2 with packet (duration or length))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:55
L28	28	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((measur\$5 or count) near4 bit\$2 with packet (duration or length))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:57

## EAST Search History

L29	57	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((measur\$5 or count) near2 (time or period or interval) with packet (duration or length or size or length))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 16:58
L30	17022	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (calculat\$ with (flow or stream) near1 rate)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 17:18
L31	1	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (calculat\$ with (flow or stream) near1 rate with (one or a ) packet near2 rate)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 17:19
L32	87	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (measur\$5 or count) with bit\$2 with (packet) near2 (length or duration or interval)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 17:32
L33	1	("20060120300").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/25 17:50
L34	1	("5018138").PN.	USPAT; USOCR	OR	OFF	2007/12/25 17:51
L40	8	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((ip packet\$2 with bit\$2) with (measur\$5 or determin\$5 or calculat\$5) with rate\$5)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 18:01

## EAST Search History

L41	17	(US-20020141339-\$ or US-20030067876-\$ or US-20030172289-\$ or US-20040228302-\$ or US-20060120300-\$ or US-20060126624-\$ or US-20060176968-\$).did. or (US-5018138-\$ or US-5282203-\$ or US-5317563-\$ or US-6683879-\$ or US-6865185-\$ or US-6947750-\$ or US-7027414-\$ or US-7068677-\$ or US-7088678-\$ or US-7295516-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/12/25 18:37
L42	5	41 and (fifo)	US-PGPUB; USPAT	OR	OFF	2007/12/25 18:38
L43	5	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (fifo with (flow\$2 or stream\$3) with (information or identif\$5) with class\$5)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 18:47
L44	44	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (fifo with (flow\$2 or stream\$3) with class\$5)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 18:55
L45	1	("20020159400").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/25 19:06
L46	1	("5291482").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/25 19:06
S1	0	(miyamura and takashi and aoki and yamanaka).in.	US-PGPUB; USPAT	OR	OFF	2007/12/22 16:20
S2	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with arrival rate with exceed\$5 same class\$2). ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 16:29

## EAST Search History

S3	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) same arrival rate same exceed\$5 same class\$2).ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 16:27
S4	8	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) same arrival rate same class\$2).ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 16:27
S5	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with arrival rate with exceed\$5 same class\$2)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 16:30
S6	24	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with arrival rate with class\$2)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 17:19
S7	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with arrival rate with (priorit\$3 or class\$2) with (exceed\$5 or violat\$5)).ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 17:20

## EAST Search History

S8	13	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with arrival rate with (exceed\$5 or violat\$5)).ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 17:48
S9	3	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3) with (violat\$5 or exceed\$5) with rate\$2 with (class or priority)).ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:32
S10	8	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3) with (violat\$5 or exceed\$5) with rate\$2 same (class or priority)).ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:03
S11	107	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3) with rate\$2 with (class or priority)).ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:04
S12	20	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3) with rate\$2 with (class or priority)).ab. and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:10
S13	12	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3) with rate\$2 with (violat\$5 or exceed\$5) with (class or priority) near4 (low\$4)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:12

## EAST Search History

S14	64	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3) with (violat\$5 or exceed\$5) with rate\$2 same (schedul\$5 or order)). ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:33
S15	1	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3) with (violat\$5 or exceed\$5) with arrival rate\$2 same (schedul\$5 or order)).ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:34
S16	3	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3) with (violat\$5 or exceed\$5) with arrival rate\$2 same (schedul\$5 or order))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 17:30
S17	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3) with arrival rate\$2 with (class\$2 or priorit\$2) (schedul\$5 or order))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 17:17
S18	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3 or stream\$@) with arrival rate\$2 with (class\$2 or priorit\$2) (schedul\$5 or order))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:37
S19	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$3 or stream\$2) with arrival rate\$2 with (class\$2 or priorit\$2) (schedul\$5 or order))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:41
S20	0	"0.."	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:37



## EAST Search History

S21	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and 370/395. 4.clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:42
S22	499	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and 370/395. 4.ccls.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:42
S23	126	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and 370/395. 4.ccls. and (rate\$2 with (class\$2 or priorit\$3))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:43
S24	56	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and 370/395. 4.ccls. and (rate\$2 with (class\$2 or priorit\$3) with (exceed\$4 or violat\$4 or (high\$5 or low\$5)))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:45
S25	8	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and 370/395. 4.ccls. and (rate\$2 with (class\$2 or priorit\$3) with (exceed\$4 or violat\$4 ))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:53
S26	11	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and 370/395. 4.ccls. and (rate\$2 with (class\$2 or priorit\$3)).ab.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/22 18:54
S27	1	(US-6683879-\$).did.	USPAT	OR	OFF	2007/12/22 19:02
S28	1	S27 and (rate\$2 with priorit\$4)	USPAT	OR	OFF	2007/12/22 19:03
S29	20	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((flow\$2 or stream\$2) with arrival rate with (class or priorit\$2))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 17:20

## EAST Search History

S30	23	("20020101819"   "20030172289"   "4769811"   "5090011"   "5309431"   "5457687"   "5706279"   "5835484"   "5901140"   "5914936"   "6028842"   "6144714"   "6208653"   "6424620"   "6463036"   "6657961"   "6724721"   "6735702"   "6865185"   "7058015"   "7062782"   "7092357"   "7188366").PN. OR ("7295516").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/24 17:44
S31	13	S30 and (class or priorit\$5) and rate\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/24 17:44
S32	24	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (packet with arrival rate with rate near2 (flow or rate))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 18:28
S33	9	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (packet with arrival rate with rate near2 (flow or stream))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 18:37
S34	10	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (packet with arrival rate near2 (flow or stream))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 18:39
S35	19786	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((estimat\$5 or calculat\$5) with rate near2 (flow or stream))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 21:48
S36	9	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (packet with arrival rate near2 (flow or stream)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 20:27

## EAST Search History

S37	269	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((estimat\$5 or calculat\$5) with rate near2 (flow or stream)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 18:39
S38	57	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((estimat\$5 or calculat\$5) with packet with rate near2 (flow or stream)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 18:41
S39	7	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((estimat\$5 or calculat\$5) with packet with rate near2 (flow or stream) with bit\$2) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 18:41
S40	1	(US-6865185-\$).did.	USPAT	OR	OFF	2007/12/24 19:39
S41	1	S40 and (class\$2 with flow\$2)	USPAT	OR	OFF	2007/12/24 19:50
S42	1	S40 and flow\$2	USPAT	OR	OFF	2007/12/24 19:50
S43	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (arrival rate with sla with (class or priorit\$4))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 20:28
S44	7	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (arrival rate with (exceed\$5 or violat\$5 or above near2 (limit\$2 or threshold)) with (class or priorit\$4))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 20:28

## EAST Search History

S45	12	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (arrival rate with (exceed\$5 or violat\$5 or above near2 (limit\$2 or threshold)) same (class or priorit\$4))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 20:28
S46	49	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (calculat or determin\$5) with rate near2 (flow or stream) with packet near2 rate	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 21:50
S47	243	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (arrival rate) near3 packet	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 21:51
S48	65	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (arrival rate) near3 packet same (flow or stream)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 21:58
S49	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (arrival rate of the packet)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 21:58
S50	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (arrival rate of near3 packet)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:03
S51	4453	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (rate with bit\$2 with packet)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:04

## EAST Search History

S52	623	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (rate with bit\$2 with packet with (flow or stream))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:04
S53	88	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (rate with bit\$2 with packet with (flow or stream) with (calculat\$5 or determin\$5 or estimat\$5))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:22
S54	23	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (rate with bit\$2 with packet with (flow or stream) near2 rate with (calculat\$5 or determin\$5 or estimat\$5))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:31
S55	72	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (bit rate with (one or a) packet)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:37
S56	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (bit rate with (one or a) packet with (determin\$5 or calculat\$5 or estimat\$5) with (flow or stream) near2 rate)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:38
S57	0	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (bit rate with (one or a) packet same( (determin\$5 or calculat\$5 or estimat\$5) with (flow or stream) near2 rate))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:45

## EAST Search History

S58	4	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (bit rate with (one or a) packet same( flow or stream) near2 rate))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:45
S59	23	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (bit rate with (one or a) (cell or frame or PDU or segment or fragment or datagram or packet or (data adj unit) or grain or message) same( flow or stream) near2 rate))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/25 15:15
S60	4	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and ((determin\$5 or calculat\$5 or estimat\$5) with (flow or stream) near2 rate with (one or a) packet)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:48
S61	121	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (rate near2 (one or a) packet)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:49
S62	1	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (rate near2 (one or a) packet with measur\$5)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:59
S63	11	(@ad<="20030228" or @pd<="20030228" or @rlan<="20030228" or @rlad<="20030228" or @rlpn<="20030228") and (rate near2 (one or a) (cell or frame or PDU or segment or fragment or datagram or packet or (data adj unit) or grain or message) with measur\$5)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2007/12/24 22:59